

Mesin Jam Pendulum

Mesin Jam Bandul tenaga Baterai

Kegunaan : UNTUK PEMBUATAN JAM DINDING BANDUL
Mesin Jam Dinding Pendulum bergoyang kanan - kiri



GFClock Yasa Persada

Showroom : Jl. Masjid Alfajri No.11/44 Pejaten Barat – Pasar Minggu
Jakarta Selatan 12510

Telp. +62-21-41518840 ; 70978302

Office : Graha Mobisel 1st Floor
Jl. Mampang Prapatan Raya No.139 - Jakarta Selatan 12740

Telp. +62-21-7975555 Ext.6049

Workshop : Jl. Masjid Alfajri No.14/44 Pejaten Barat – Pasar Minggu
Jakarta Selatan 12510

Phone : +62-21-79170265
+62-21-98529616

E-mail : [anggono\[at\]gfclock.com](mailto:anggono[at]gfclock.com)
MSN : [baszuky\[at\]hotmail.com](mailto:baszuky[at]hotmail.com)

Fax : +62-21-79170265

YM : [baszuky\[at\]yahoo.com](mailto:baszuky[at]yahoo.com)

Website : <http://www.gfclock.com>
<http://washingtonclocks.com>

Contact : MR.ANGGONO BASUKI
HP. : 0818-802045

Visit at <http://mesinjam.washingtonclocks.com>

Blackberry : 2880ECDC
76B02E95

Contents

MESIN JAM PENDULUM.....	1
GFCLOCK YASA PERSADA.....	1
CONTENTS.....	2
MESIN JAM PENDULUM – JAM BANDUL	3
D1780W	3
D1650J.....	4
D1610W	5
D0119V	6

Mesin Jam Pendulum – Jam Bandul

D1780W



D1780W Kits

TYPE	: D1780W
Movement	: QUARTZ High Precision SUN 12888 JAPAN Technology by Youngtown Co, Ltd. Power use by battery AA 1.5V
Dial	: Round Dial 178 mm diameter by metal aluminum Gold polished.
Hands	: Hour, Minute hands black color, and Second hand red color
Pendulum	: Metal aluminum Gold polished, Pendulum BOB 88 mm diameter and length 400 mm
Accessories	: Center screw, rubber shield
Penggunaan	: Clock kit ini sangat cocok untuk Pendulum Wall clocks.
Price/Harga	: Order quantity 1 - 10 pcs @ Rp. 325.000,- 10 - 50 pcs @ Rp. 300.000,- 51 - 100 pcs @ Rp. 275.000,- diatas 101 pcs @ Rp. 250.000,- (harga EOW / exit of work atau ambil di Workshop atau Showroom – Jakarta)

Movement Specifications:

Crystal Oscillator: 32.768 KHz
Working Voltage: 1.3V to 1.7V
Working Temperature: -10°C to 50°C
Torque Of Second Shaft: Over 180 uNM
Current Consumption: Less than 200 uA at 1.5 DC
Time Keeping Accuracy: ±1 sec/day at 1.5v DC 25°

Battery Life: **6 months**
Allowed Pendulum Length: ≤200 mm
Allowed Pendulum Weight: ≤40g

Garansi Mesin: 1 Tahun

D1650J



D1650J Kits

TYPE	: D1650J
Movement	: QUARTZ High Precision SUN 12888 JAPAN Technology by Youngtown Co, Ltd. Power use by battery AA 1.5V
Dial	: Round Dial 165 mm diameter by metal aluminum Gold polished.
Hands	: Hour, Minute hands black color, and Second hand red color
Pendulum	: Metal aluminum Gold polished, Pendulum BOB 88 mm diameter and length 320 mm
Accessories	: Center screw, rubber shield
Penggunaan	: Clock kit ini sangat cocok untuk Pendulum Wall clocks.
Price/Harga	: Order quantity 1 - 10 pcs @ Rp. 325.000,- 10 - 50 pcs @ Rp. 300.000,- 51 - 100 pcs @ Rp. 275.000,- diatas 101 pcs @ Rp. 250.000,-

(harga EOW / exit of work atau ambil di Workshop atau Showroom – Jakarta)

Movement Specifications:

Crystal Oscillator: 32.768 KHz
Working Voltage: 1.3V to 1.7V
Working Temperature: -10°C to 50°C
Torque Of Second Shaft: Over 180 uNM
Current Consumption: Less than 200 uA at 1.5 DC
Time Keeping Accuracy: ± 1 sec/day at 1.5v DC 25°

Battery Life: **6 months**
Allowed Pendulum Length: ≤ 200 mm
Allowed Pendulum Weight: ≤ 40 g

Garansi Mesin: 1 Tahun

D1610W



D1610W Kits

TYPE	: D1610W
Movement	: QUARTZ High Precision SUN 12888 JAPAN Technology by Youngtown Co, Ltd. Power use by battery AA 1.5V
Dial	: Round Dial 161 mm diameter by metal aluminum Gold polished.
Hands	: Hour, Minute hands black color, and Second hand red color
Pendulum	: Metal aluminum Gold polished, Pendulum BOB 80 mm diameter and length 290 mm
Accessories	: Center screw, rubber shield
Penggunaan	: Clock kit ini sangat cocok untuk Pendulum Wall clocks.
Price/Harga	: Order quantity 1 - 10 pcs @ Rp. 300.000,- 10 - 50 pcs @ Rp. 275.000,- 51 - 100 pcs @ Rp. 250.000,- diatas 101 pcs @ Rp. 225.000,-

(harga EOW / exit of work atau ambil di
Workshop atau Showroom – Jakarta)

Movement Specifications:

Crystal Oscillator: 32.768 KHz
Working Voltage: 1.3V to 1.7V
Working Temperature: -10°C to 50°C
Torque Of Second Shaft: Over 180 uNM
Current Consumption: Less than 200 uA at 1.5 DC
Time Keeping Accuracy: ± 1 sec/day at 1.5v DC 25°

Battery Life: **6 months**
Allowed Pendulum Length: ≤ 200 mm
Allowed Pendulum Weight: ≤ 40 g

Garansi Mesin: 1 Tahun

D0119V



D0119V Kits

TYPE	: D0119V
Movement	: QUARTZ High Precision SUN 12888 JAPAN Technology by Youngtown Co, Ltd. Power use by battery AA 1.5V
Dial	: Square Dial 180 x 180 mm by metal aluminum Gold polished with raised numeral and corner flower embossed.
Hands	: Hour, Minute hands black color, and Second hand red color
Pendulum	: Metal aluminum Gold polished, Pendulum BOB 88 mm diameter and length 320 mm
Accessories	: Center screw, rubber shield
Penggunaan	: Clock kit ini sangat cocok untuk Pendulum Wall clocks.
Price/Harga	: Order quantity 1 - 10 pcs @ Rp. 325.000,- 10 - 50 pcs @ Rp. 300.000,- 51 - 100 pcs @ Rp. 275.000,- diatas 101 pcs @ Rp. 250.000,-

(harga EOW / exit of work atau ambil di
Workshop atau Showroom – Jakarta)

Movement Specifications:

Crystal Oscillator: 32.768 KHz
Working Voltage: 1.3V to 1.7V
Working Temperature: -10°C to 50°C
Torque Of Second Shaft: Over 180 uNM
Current Consumption: Less than 200 uA at 1.5 DC
Time Keeping Accuracy: ±1 sec/day at 1.5v DC 25°

Battery Life: **6 months**
Allowed Pendulum Length: ≤200 mm
Allowed Pendulum Weight: ≤40g

Garansi Mesin: 1 Tahun